

M85



M 85 COMPACT DISPLAY COOLER

Compactly designed display cooler for placement on a platform, or for locations with limited space. Fitted with glass door and designed with natural refrigerants and LED lighting, which has led to a compact energy saving display cooler with great features for presentation and storage. Shelves are adjustable to accommodate all types of beverages, which are kept cold via the built-in fan that provides added temperature stability.



SPECIFICATIONS

ISO 9001, 14001 & OHSAS 18001 CERTIFIED

Gross capacity, litres (cu. ft.)	125 (4.4)
Net capacity, litres (cu. ft.)	106 (3.7)
Capacity, 0.5 L bottles / 0.33 L cans	45 / 115
Temperature range, °C	+2 to +10
Power consumption per 24h, kWh	0.75
Rated load, W	96
Refrigerant	R600a

DIMENSIONS & LOADING QUANTITIES

Height, mm (inches)	830 (32.7)
Width, mm (inches)	493 (19.4)
Depth, mm (inches)	587 (23.1)
Gross weight, kg (lbs)	44 (97)
Net weight, kg (lbs)	40 (88)
Qty. per 20' / 40' container	88 / 225

FEATURES Adjustable metal shelves · Fan for rapid cooling and constant air circulation · Compact for all-round placement · Digital controller for exact temperature control · Automatic defrosting · Glass door

ENERGY

Vestfrost Solutions M85

A
B
C
D
E
F
G

182 kWh/annum

125 L

5°C

≤ 25°C

9102/6101

Buy Price \$ 985.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination

SAC120




SPECIFICATIONS		SAC-120SAX	
CASNET	GROSS CAPACITY (LITRES)	120	
	EXTERNAL DIMENSION (MM)	525Wx510Dx850H	
	INTERNAL DIMENSION (MM)	455Wx455Dx850H	
	NET WEIGHT (KGS)	80	
	INSULATION	CYCLOPENTANE	
	DOOR	SELF CLOSING GLASS DOOR FITTED WITH TOUGHENED SAFETY GLASS AND REPLACEABLE DOOR GASKET	
	DOOR LOCK	YES (LATCH LOCK)	
	NO. OF SHELVES (PCS)	2 X ADJUSTABLE SHELVES PLUS BASE	
	CASTER WHEEL	OPTION	
	ADJUSTABLE LEG	4	
REFRIGERATION	CANOPY LIGHTING (WATTS)	-	
	INTERNAL LIGHTING (WATTS)	LED	
	DRAINAGE	SELF-EVAPORATE	
	COMPRESSOR (HP)	1/8	
	REFRIGERANT	R-134a	
	EVAPORATOR	FIN & TUBE/ FORCE AIR CIRCULATION	
	EVAPORATOR FAN MOTOR (WATTS)	1 X 12	
	CONDENSER	FIN & TUBE/ FORCE AIR CIRCULATION	
	CONDENSER FAN MOTOR (WATTS)	1 X 5	
	POWER SUPPLY	220-240V 50Hz.	
GENERAL FEATURE	TEMPERATURE CONTROL	MECHANICAL THERMOSTAT CONTROL	
	DEFROST	OFF - CYCLE	
	COOLING PERFORMANCE	0 ~ +7.2 °C	
	CERTIFICATION	CB, CE, C-TICK	
	330ml CAN CAPACITY	FACING	8
		NO. OF CAN	120
	500ml PET CAPACITY	FACING	7
		NO. OF BOTTLE	80
	UNIT IN CONTAINER	(20 FCL)	88
		(40 FCL)	176
OPTION LIST (ORDER BEFORE PRODUCTION)	* CASTER WHEEL, * KEY LOCK, * BOTTLE OPENER+RECEPTACLE, * LIGHT SWITCH, * DIGITAL THERMOMETER, * VOLTAGE PROTECTOR, * EARTH LEAKAGE CIRCUIT BREAKER		

Buy Price \$ 495.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination

MFG185



PRODUCT

MFG 185 DISPLAY COOLER

Exclusive Black-Glass display cooler to complete your beverage presentation and attract more focus. MFG 185 offers storage capacity for 224 pcs 0.5 L bottles and operates at temperature range between +2°C to +10°C.

The display cooler matches perfectly in a side-by-side setup with the wine cabinet WFG 185. A joining kit is available for easy installation.



SPECIFICATIONS

Gross volume, litres (cu. ft.)	448 (15,82)
Net volume, litres (cu. ft.)	379 (13,38)
Capacity, 0.5 L bottles / 0.33 L cans	224 / 427
Energy consumption per 24h, kWh	1,600
Voltage, V	220-240
Frequency, Hz	50
Refrigerant	R600a
Temperature class	SN/ST

DIMENSIONS & LOADING QUANTITIES

Height w. castors, mm (inches)	1850 (72.8)
Width, mm (inches)	595 (23.4)
Depth, mm (inches)	595 (23.4)

FEATURES: 6 adjustable metal shelves · Digital controller · Automatic defrosting · Pure white LED lighting · Integrated lock · Full glass door



Vestfrost Solutions

MFG 185



614 kWh/annum



344 L



5°C



≤ 25°C

2019/2018

Buy Price \$ 2750.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination

TheFridge*
Warehouse

VKG571 Wine Chiller



PRODUCT

VKG 511 · 570 · 571 WINE AGEING CABINET

VKG service cabinets offers a number of features, such as wooden shelves, charcoal filter, lock, UV-protected glass door and low vibration compressor. The cabinets are ideal for placement in HoReCa environment and operates between 6 to 16°C with a light temperature deviation from top to bottom. Optional digital shelf thermometers can be applied to each shelf to help providing a quick overview.



SPECIFICATIONS

	VKG 511	VKG 570	VKG 571
Net volume, litres (cu. ft.)	288 (10.17)	355 (12.54)	355 (12.54)
Capacity, no. of 0.75 L bottles	89	111	116
Temperature range, °C	+6 to +16°C	+6 to +16°C	+6 to +16°C
Refrigerant	R600a	R600a	R600a
Energy class	B	B	B
Energy consumption per 24h, kWh	0.581	0.540	0.584
Noise level	43	41	43

DIMENSIONS & LOADING QUANTITIES

	VKG 511	VKG 570	VKG 571
Height, mm (inches)	1550 (61.02)	1850 (72.83)	1850 (72.83)
Width, mm (inches)	595 (23.43)	595 (23.43)	595 (23.43)
Depth, mm (inches)	595 (23.43)	595 (23.43)	595 (23.43)
Net weight, kg (lbs)	66	78	75
Qty. per 20' / 40' container			

FEATURES Low vibration compressor · Adjustable wooden shelves · Smoked glass door · Internal light



Vestfrost Solutions

VKG571



137 kWh/annum



116



40dB
A B C D

2019/2016

Buy Price \$ 2890.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination

TheFridge*
Warehouse

HF396 Freezer-Stainless Lid



HF 396 · 506 STEEL CHEST FREEZERS

Vestfrost Solutions HF 396 and HF 506 are quality stainless steel chest freezers designed for professional storage of frozen items. The reliable and robust chest freezers are built for long-lasting usage in kitchens, bakeries and shops and can also be used for back-room storage of ice-cream. With perfect space utilization, the storage freezers have a wide range of applications within all food segments, where quality and design matters. Can be used as working table/desk.



ISO 9001, 14001 & OHSAS 18001 CERTIFIED

SPECIFICATIONS, DIMENSIONS & LOADING QUANTITIES

	HF 396 STEEL	HF 506 STEEL
Gross capacity, litres (cu. ft.)	373 (13.2)	476 (16.8)
Net capacity, litres (cu. ft.)	362 (12.8)	464 (16.4)
Temperature range, °C	-17 to -24	-17 to -24
Power consumption per 24h, kWh	1.08	1.28
Rated load, W	145	190
Refrigerant	R600a	R600a
Height, mm (inches)	850 (33.5)	850 (33.5)
Width, mm (inches)	1260 (49.6)	1560 (61.4)
Depth, mm (inches)	600 (23.6)	600 (23.6)
Gross weight, kg (lbs)	68 (150)	80 (176)
Net weight, kg (lbs)	62 (137)	72 (159)
Qty. per 20' / 40' container	24 / 79	22 / 71

FEATURES Counterbalanced lid · Lock · Robust handle · External digital thermometer · Stainless steel lid and silver-painted cabinet

Energy
Manufacturer: VESTFROST
Model: HF 506 STS

More efficient

A B C D E F G

Less efficient

Energy consumption kWh/year (Based on standard test results for 24 h): **467**


Actual consumption will depend on how the appliance is used and where it is located.

Fresh food volume l: **464**
Frozen food volume l: *******

Noise (dB(A) re 1 pW): *******

Further information is contained in products brochures

Norm EN 153 July 1995
Refrigerator Label Directive 94/10/EC



Buy Price \$ 1495.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination

HF506 Freezer-Stainless Lid



HF 396 · 506 STEEL CHEST FREEZERS

Vestfrost Solutions HF 396 and HF 506 are quality stainless steel chest freezers designed for professional storage of frozen items. The reliable and robust chest freezers are built for long-lasting usage in kitchens, bakeries and shops and can also be used for back-room storage of ice-cream. With perfect space utilization, the storage freezers have a wide range of applications within all food segments, where quality and design matters. Can be used as working table/desk.



ISO 9001, 14001 & OHSAS 18001 CERTIFIED

SPECIFICATIONS, DIMENSIONS & LOADING QUANTITIES

	HF 396 STEEL	HF 506 STEEL
Gross capacity, litres (cu. ft.)	373 (13.2)	476 (16.8)
Net capacity, litres (cu. ft.)	362 (12.8)	464 (16.4)
Temperature range, °C	-17 to -24	-17 to -24
Power consumption per 24h, kWh	1.08	1.28
Rated load, W	145	190
Refrigerant	R600a	R600a
Height, mm (inches)	850 (33.5)	850 (33.5)
Width, mm (inches)	1260 (49.6)	1560 (61.4)
Depth, mm (inches)	600 (23.6)	600 (23.6)
Gross weight, kg (lbs)	68 (150)	80 (176)
Net weight, kg (lbs)	62 (137)	72 (159)
Qty. per 20' / 40' container	24 / 79	22 / 71

FEATURES Counterbalanced lid · Lock · Robust handle · External digital thermometer · Stainless steel lid and silver-painted cabinet

Energy

Manufacturer: VESTFROST
Model: HF 506 STS

More efficient

A B C D E F G

Less efficient

Energy consumption kWh/year (Based on standard test results for 24 h): **467**


Actual consumption will depend on how the appliance is used and where it is located.

Fresh food volume l: 464
Frozen food volume l: ****

Noise (dB(A) re 1 pW):

Further information is contained in products brochures

Norm EN 153 July 1995
Refrigerator Label Directive 94/10/EC



Buy Price \$ 1695.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination

FKG371



FKG 371 UPRIGHT DISPLAY COOLER

FKG 371 is not only suitable for bottles, as items of food also can be hygienically and conveniently stored in this cooler with its strong, stable, adjustable shelves. With features such as automatic defrosting and adjustable wire shelves, the cooler is a functional unit ideal for sandwich bars, kiosks and service stations.

ISO 9001, 14001 & OHSAS 18001 CERTIFIED

SPECIFICATIONS

Gross capacity, litres (cu. ft.)	381 (13.5)
Net capacity, litres (cu. ft.)	351 (12.4)
Capacity, 0.5 L bottles / 0.33 L cans	231 / 476
Temperature range, °C	+3 to +10
Power consumption per 24h, kWh (R134a/R600a)	2.75 / 2.25
Rated load, W	350
Refrigerant	R134a / R600a

DIMENSIONS & LOADING QUANTITIES

Height, mm (inches)	1850 (72.8)
Width, mm (inches)	595 (23.4)
Depth, mm (inches)	595 (23.4)
Gross weight, kg (lbs)	88 (194)
Net weight, kg (lbs)	85 (187)
Qty. per 20' / 40' container	27 / 72

FEATURES Adjustable thermostat · Automatic defrosting · Ventilated cooling · Interior light · Reversible door · Robust handle · Adjustable wire shelves · Adjustable feet · Lock



Refrigerant / amount	R600a / 50g
Temperature class	3K4
Energy	2,19 kWh/24h
Noise	N/A dB
Voltage	220-240 V
Frequenze	50 Hz
Temperature range	+2 to +10 °C
Energy class	E

Buy Price \$ 1695.00

Warranty 12 Months

- Price excludes GST
- Includes freight to any N/Island Destination